Burch



Repeats Not Shown to Scale

Theory Russet 1007723

Meets or exceeds all ACT® Standards

Made in the USA High Performance Fabric Soil and Stain Repellent PFAS Free stock may be available



*ACT® Registered Certification Marks

Fabric Specifications

| Content | 100% Polyester |
|-----------------|---|
| Finish | Soil and Stain Repellent |
| Backing | Acrylic |
| Weight | 16.2 oz. per linear yd |
| Width | 54" |
| Roll Size | 50 yards |
| Ends/Picks | Ends: 80 per inch Picks: 22 per inch |
| Directional | Yes |
| Railroaded | No |
| Made in the USA | Yes |

Additional Attributes

| PFAS Free | In transition to PFAS Free Sku-Dependent Contact Customer Care | |
|----------------------------|--|--|
| High Performance | Yes | |
| Recommended Clea | ning | |
| Please refer to Detailed C | leaning Instructions. | |

Performance Characteristics

| Brush Pill ASTM D3511 5 Tensile Strength ASTM D5034 Warp: 71.0 lbs. Fill: 145.0 lbs. | |
|---|--|
| · | |
| Till. 140.0 lb3. | |
| Tear Strength ASTM D2262 Warp: 26.0 lbs. Fill: 9.0 lbs. | |
| Seam Slippage ASTM D4034 Warp: 55.0 lbs. Fill: 72.0 lbs. | |
| Colorfastness to Crocking AATCC 8 Dry: 4.0 Wet: 3.0 | |
| Colorfastness to Light AATCC 16 Hours: 40.0 Class: 4.0 | |
| Flammability** | |
| CAL TB 117-2013 Passes | |
| NFPA 260 Class 1 | |
| UFAC Class 1 | |

Although we try hard to make sure colors on our site are accurate, actual colors may vary. Please order samples prior to making a purchase.

 $\label{product} Final\ determination\ of\ the\ suitability\ of\ this\ product\ for\ an\ application\ rests\ with\ the\ user.$

- * Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.
- ** This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.